



#These authors contributed equally to this work.

**\*Corresponding author**

Seung Hwan Lee  
 Division of Animal and Dairy Science,  
 Chungnam National University,  
 Daejeon 34134, Korea.  
 Tel: +82-42-821-5772  
 E-mail: slee46@cnu.ac.kr

Bong Hwan Choi  
 Animal Genomics & Bioinformatics  
 Division, National Institute of Animal  
 Science, RDA, Wanju 55365, Korea.  
 Tel: +82-63-238-7304  
 E-mail: bhchoi@korea.kr

Copyright © 2020 Korean Society of  
 Animal Sciences and Technology.  
 This is an Open Access article  
 distributed under the terms of the  
 Creative Commons Attribution  
 Non-Commercial License (<http://creativecommons.org/licenses/by-nc/4.0/>) which permits unrestricted  
 non-commercial use, distribution, and  
 reproduction in any medium, provided  
 the original work is properly cited.

**ORCID**

Soo Hyun Lee  
<https://orcid.org/0000-0001-5257-2068>  
 Dongwon Seo  
<https://orcid.org/0000-0003-0548-7068>  
 Doo Ho Lee  
<https://orcid.org/0000-0002-2174-7897>  
 Ji Min Kang  
<https://orcid.org/0000-0002-4907-2203>  
 Yeong Kuk Kim  
<https://orcid.org/0000-0002-6530-2304>  
 Kyung Tai Lee  
<https://orcid.org/0000-0003-0990-4818>  
 Tae Hun Kim  
<https://orcid.org/0000-0003-1621-3281>  
 Bong Hwan Choi  
<https://orcid.org/0000-0002-4795-3285>  
 Seung Hwan Lee  
<https://orcid.org/0000-0003-1508-4887>

# Erratum to: Comparison of prediction accuracy for genomic estimated breeding value using the reference pig population of single-breed and admixed-breed

Soo Hyun Lee<sup>1#</sup>, Dongwon Seo<sup>1#</sup>, Doo Ho Lee<sup>1</sup>, Ji Min Kang<sup>1</sup>, Yeong Kuk Kim<sup>1</sup>,  
 Kyung Tai Lee<sup>2</sup>, Tae Hun Kim<sup>2</sup>, Bong Hwan Choi<sup>2\*</sup> and Seung Hwan Lee<sup>1\*</sup>

<sup>1</sup>Division of Animal and Dairy Science, Chungnam National University, Daejeon 34134, Korea

<sup>2</sup>Animal Genomics and Bioinformatics Division, National Institute of Animal Science, RDA, Wanju 55365, Korea

## ERRATUM

In the published article “Comparison of prediction accuracy for genomic estimated breeding value using the reference pig population of single-breed and admixed-breed. *J Anim Sci Technol.* 2020;62(4):438-448. <https://doi.org/10.5187/jast.2020.62.4.438>,” the acknowledgements have to be modified. The editorial office will report that this amendment is made at the request of the author.

## ACKNOWLEDGEMENTS

This research was partly supported by Basic Science Research Program through the National Research Foundation of Korea (NRF) funded by the Ministry of Education (No. NRF-2019R1F1A1057605). All the data-set (Phenotypes and genotypes) used in this study was provided by National Institute of Animal Science, Rural Development Administration (RDA). Berkshire samples were provided by Dasan Pig Breeding Farm, Namwon, Korea

## REFERENCE

1. Lee SH, Seo D, Lee DH, Kang JM, Kim YK, Lee KT, Kim TH, Choi BH, Lee SH. Comparison of prediction accuracy for genomic estimated breeding value using the reference pig population of single-breed and admixed-breed. *J Anim Sci Technol.* 2020;62:438-48. <https://doi.org/10.5187/jast.2020.62.4.438>